

BENBURGESS

GROUNDSCARE EQUIPMENT

www.benburgess.co.uk



MOUNTAINPRESS Mini Round Balers for baling hay

MOUNTAINPRESS is a range of small round-balers that press hay by rolling it into cylindrical bales. The MOUNTAINPRESS small round-balers produce a 20/25 kg hay bale on average every 40 seconds. The total output per hour is approximately 1,500 kg hay. The stationary pressing chamber is made up of aluminium rollers which form **“soft-core” hay bales**. The less pressed core allows hay to have a proper transpiration and prevents it from going mouldy. On its outer part the bale is heavily pressed in order to create a water-repellent, protective layer. Hay is pressed without mowing or thrashing to maintain its quality by keeping the seeds and flowers inside the bales. All of the MOUNTAINPRESS small round-balers wrap the bales through a UV-resistant net. Thanks to their **handiness, reduced height and low centre of gravity**, the MOUNTAINPRESS round-balers are ideal also for working in hilly and mountainous areas. The small bales produced by MOUNTAINPRESS are very much appreciated also by horse breeders, both because of their small size and of the high quality and high preservation level of the baled product.



THE ADVANTAGES OF THE MOUNTAINPRESS MINI ROUND-BALERS

- use of small power units with low power
- baler small size, hence working in narrow places or on sloping grounds is also possible

THE ADVANTAGES OF THE MINI ROUND-BALES PRODUCED BY MOUNTAINPRESS

- they can be moved by hand
- in comparison with square bales, the mini round-bales are more resistant to bad weather and can be wrapped with plastic film to make silage

**Sole importer
for the UK**

Mini round-baler for TWO-WHEEL TRACTORS & MOWERS

MOUNTAINPRESS 550

MOUNTAINPRESS 550 is a one a kind machine. By means of a quick coupling flange MOUNTAINPRESS 550 can be coupled to **two-wheel tractors and mowers of all makes and models**. MOUNTAINPRESS 550 is fastened to the frontal part of the power unit so that its weight acts on the rear driving wheels for a better adherence to the ground also when the baler works uphill.

£9,100 +VAT



MOUNTAINPRESS 550

TECHNICAL DATA

Lenght	1,350 mm
Width	1,070 mm
Height	990 mm
Weight	256 kg
Bale output per hour	50 - 80
Pick-up	700 mm
Tyres	3.50.8
Minimum power required	6.6 - 14.8 kW

STANDARD EQUIPMENT

Net wrapping • Bale counter • Automatic chain tensioning

OPTIONAL EQUIPMENT

Gathering wheels • Automatic chain lubrication



Mini round-baler CARRIED by small tractors

MOUNTAINPRESS 550 TPC-S

It is a mini round-baler **carried by means of the tractor three point linkage** designed for working with **small tractors with low centre of gravity**.

With respect to MOUNTAINPRESS 550 TPC, this baler model allows to adjust the pick-up height and to wrap the bales from the driver's seat via a control panel.

An acoustic signal warns the operator that the bale has been formed. The pressure chamber opens and closes via the hydraulic control located on the tractor.

An optional trailing kit allows, if needed, to trail MOUNTAINPRESS 550 TPC-S centrally behind the tractor.

Power transmission via cardan shaft.

£9,400 +VAT

MOUNTAINPRESS 550 TPC-S

TECHNICAL DATA

Lenght	1,250 mm
Width	1,225 - 1,750 mm
Height	930 - 1,030 mm
Weight	330 kg
Bale output per hour	50 - 80
Pick-up	700 mm
PTO	540 rpm
Tyres	18x 8.50/8" PR 4 (TPC) - 18.5x8.50/8" PR 6 (TPC-S)
Minimum power required	15 kW

STANDARD EQUIPMENT

Lights • Net wrapping • Bale counter • Bale formation acoustic signal • Hydraulic bale ejection • Automatic chain tensioning • Chain protection clutch • Electric control box for bale wrapping and electrohydraulic pick-up lifting

OPTIONAL EQUIPMENT

Cardan shaft • Automatic chain lubrication • Trailing kit

FEATURES OF THE ROUND-BALES PRODUCED WITH MOUNTAINPRESS

Dimensions	55 Ø x 52 cm (H)
Hay bale weight	20 - 25 kg
Straw bale weight	14 - 18 kg



Mini round-balers TRAILED by small tractors



MOUNTAINPRESS 550 TPL

TECHNICAL DATA

Length	1,950 - 2,250 mm
Width	1,225 - 1,750 mm
Height	930 - 1,030 mm
Weight	330 kg
Bale output per hour	50 - 80
Pick-up	700 mm
PTO	540 rpm
Tyres	18.5x8.50/8" PR 6
Minimum power required	15 kW

£10,000 +VAT

STANDARD EQUIPMENT

Lights • Net wrapping • Bale counter • Bale formation acoustic signal • Hydraulic bale ejection • Automatic chain tensioning • Chain protection clutch • Height and length adjustable drawbar • Electric control box for bale wrapping and electro-hydraulic pick-up lifting

OPTIONAL EQUIPMENT

Cardan shaft • Gathering wheels • Automatic chain lubrication

MOUNTAINPRESS 550 TPL

Thanks to its specially designed drawbar, MOUNTAINPRESS 550 TPL is **trailed laterally by the tractor** with the advantage, **especially for small tractors with low centre of gravity**, not to pass on the hay row. All the baler controls are actuated from the driver's seat. An acoustic signal warns the operator that the bale has been formed. The pressure chamber opens and closes via the hydraulic control located on the tractor. Power transmission via cardan shaft.



£10,800 +VAT

New!

MOUNTAINPRESS 550 TML

TECHNICAL DATA

Length	1,950 - 2,250 mm
Width	1,225 - 1,750 mm
Height	930 - 1,030 mm
Weight	395 kg
Bale output per hour	50 - 80
Pick-up	700 mm
Tires	18.5 x 8.50/8" PR 6
Engine power	10.0 kW

STANDARD EQUIPMENT

Lights, Net wrapping, Bale counter, Bale formation acoustic signal, Hydraulic bale ejection, Automatic chain tensioning, Height and length adjustable drawbar, Electric control box for bale wrapping and electrohydraulic pick-up lifting, Electric starter with the possibility of pull starter also, Hydraulic pump and tank on board the machine .

OPTIONAL EQUIPMENT

Cardan shaft, Gathering wheels, Automatic chain lubrication

FEATURES OF THE ROUND-BALES PRODUCED WITH MOUNTAINPRESS

Dimensions	55 Ø x 52 cm (H)
Hay bale weight	20 - 25 kg
Straw bale weight	14 - 18 kg

Thanks to the growing demand for specialist equipment, CAEB International supplemented its range of small hay round-balers with the new model TML. MOUNTAINPRESS 550 TML is a round-baler, **trailed laterally**, adaptable to **all kind of power units, even if not equipped with PTO**.

MOUNTAINPRESS 550 TML is equipped with a 10.0 kW (13.5 HP) electric starter engine that allows to pick-up, bale, wrap and unload the bales without any thermic or hydraulic request to the power unit. All the baler controls are actuated from the driver's seat. An acoustic signal warns the operator that the bale has been formed. The electric ignition and the pressure chamber are operated by the control board located on the tractor.

MOUNTAINPRESS 550 TML, thanks to a reduced weight and a very good mass centralization, can be trailed and work fitted on any kind of power unit (ATV, QUAD, SMALL EXCAVATORS, TRACKS, GOLF CAR, etc.).

Price list February 2021



MP 550	£9,100
MP 550 TPC-S	£9,400
MP550 TPL	£10,000
MP 550 TML	£10,800
Gathering wheels (per pair)	£455
Flanges to suit BCS units	£395
Flanges to suit Bucher, etc	£465
Flanges to suit AGRIA	£345
Bale wrap (per 1800m roll)	£95 - discounts available on multiples are below

Number of rolls	Discount	Carriage Charge
1		£9.50
2	5%	£10.00
3/4	10%	£15.00
5+	15%	POA

Carriage charge is based on a 4 day delivery for the mainland UK

All prices subject to VAT

**Contact your local Ben Burgess GroundsCare Equipment
dealership for sales, parts and service support:**

BENBURGESS

GROUNDSCARE EQUIPMENT

www.benburgess.co.uk

01263 734311	Aylsham
01328 701347	Beeston
01733 840777	Coates
01480 890990	Ellington
01638 577877	Newmarket
01603 625370	Norwich
01572 492492	Oakham

**Sole importer
for the UK**